

sandbar pullover



Sandbar Pullover

Designed by
Rae Blackledge

Skill Level

Intermediate

Finished Size

Extra Small (Small, Medium, Large, 1X)
Oversized fit, choose a size with
4-6" (10.2-15.2cm) of ease
Bust: 36 (40, 44, 48, 52)" [91 (102,
112, 122, 132)cm]
Length: 24½ (26, 28, 29, 30)"
[62 (66, 71, 74, 76)cm]

Materials

- Willow Yarns™ Meadow  (100% cotton; 50g/115yd)
-731937-0004 Nest [10 (11, 13,
15, 17) balls]
- US size 7 (4.5mm) straight needles
or size needed to obtain gauge
- Removable stitch markers
- Stitch holder
- Yarn needle

Gauge

16 sts x 32 rows = 4" (10.2cm) in
tuck st pat, blocked
Save time, check your gauge.

Stitch Guide

tuck st pat:

(multiple of 2 sts + 3)

Row 1 (RS): K1, p1, *yo, sl 1
p-wise wyib, p1; rep from * to last
st, k1.

Row 2 (WS): P1, k1, *sl st and yo
p-wise wyif, yo, k1; rep from * to
last st, p1.

Row 3: K1, p1, *k next st and 2 yo
tog, p1; rep from * to last st, k1.

Row 4: P1, *k1, p1; rep from * across.
Rep Rows 1-4 for pat.

Pattern Notes

- With this st pat, the yo sts will
"float" over the sl st on the
needle instead of next to that st.
When doing shaping, treat the
sl st and yo as 1 st and k them
tog if necessary when working
a dec or BO (as you would do on
Row 3 of pat).

Right Neck

Note: Cont to work in pat, when
necessary during shaping, k coordinating
yo and sl st tog to complete BO or dec.
At beg of next RS row, BO 2 (2, 2, 3, 3)
sts—27 (31, 34, 37, 40) sts.

At beg of next RS row, BO 2 sts—25 (29,
32, 35, 38) sts.

Work 1 WS row.

Dec Row (RS): K1, k2tog, work in pat to
end—1 st dec'd.

Next Row (WS): Work in pat to last
3 sts, p3.

Rep last 2 rows 1 (1, 1, 2, 2) more
times—23 (27, 30, 32, 35).

Work in pat until armhole measures
9 (10, 11, 12, 13)" [22.9 (25, 28, 30, 33)cm],
ending with Row 3 of pat.

BO all sts in pat.

Left Neck

Join yarn at neck edge, work 2 rows in
pat.

At beg of next WS row, BO 2 (2, 2, 3,
3) sts—27 (31, 34, 37, 40) sts.

At beg of next WS row, BO 2 sts—25 (29,
32, 35, 38) sts.

Dec Row (RS): Work in pat to last 3 sts,
ssk, k1—1 st dec'd.

Next Row (WS): P3, work in pat to end.
Rep last 2 rows 1 (1, 1, 2, 2) more times—
23 (27, 30, 32, 35) sts.

Work in pat until armhole measures
9 (10, 11, 12, 13)" [22.9 (25, 28, 30, 33)cm],
ending with Row 3 of pat.

BO all sts in pat.

Sleeves

Note: Work new sts into pat when
possible.

CO 39 (41, 41, 45, 47) sts.

Instructions

Back

CO 73 (81, 89, 97, 105) sts.

Setup Row (WS): P1, *k1, p1; rep from
* across.

Work in tuck st pat until back measures 15½
(16, 17, 17, 17)" [39 (41, 43, 43, 43)cm].

Pm at both ends of the row to mark beg
of the armholes.

Cont in tuck st pat until armholes
measure 9 (10, 11, 12, 13)" [22.9 (25, 28,
30, 33)cm], ending with Row 3 of pat.

BO all sts in pat.

Place 2 m in BO edge, each 23 (27, 30,
32, 35) sts from the edge to mark the
shoulders.

Front

Work as for back until armholes measure
6½ (7½, 8½, 9, 10)" [16.5 (19.1, 21.6, 22.9,
25)cm], ending with a WS row.

Shape Neck

Work across 29 (33, 36, 40, 43) sts for
left neck, BO center 15 (15, 17, 17, 19) sts,
work across rem 29 (33, 36, 40, 43) sts
for right neck. Place sts for left neck on st
holder.

Sandbar Pullover

Designed by
Rae Blackledge

Setup Row (WS): P1, *k1, p1; rep from * across.

Work in tuck st pat until sleeve measures 2½" (6.4cm), ending with a WS row.

Inc Row (RS): K1, m1, work in pat to last st, m1, k1—2 sts inc'd.

Rep Inc Row every other RS row 2 (7, 15, 18, 22) more times—24 (57, 73, 83, 93) sts.

Rep Inc Row every third RS row 14 (12, 8, 7, 6) times—73 (81, 89, 97, 105) sts.

Work in pat without inc'ing until sleeve measures 19 (20, 21, 22, 22)" [48 (51, 53, 56, 56)cm], ending with Row 3 of pat. BO all sts in pat.

Finishing

Sew one left shoulder seam.

Neck Edging:

Pick up and k1 in every BO st bet m on back 27 (29, 29, 33, 35) sts, evenly pick up and k44 (44, 46, 52, 56) around front neck.


Row 1 (WS): P1, *k1, p1; rep from * across.

Row 2 (RS): K1, *p1, k1; rep from * across.

Rep last 2 rows until edging measures 1½" (3.8cm), ending with a WS row. BO all sts in pat.

Sew neck seam and right shoulder seam. Sew sleeves onto body bet armhole m. Sew sleeve and side seams.

Weave in ends.



willow yarns™

2800 Hoover Road • Stevens Point, WI 54481
855.279.4701 • willowyarns.com
© Willow Yarns. All Rights Reserved.

ABBREVIATIONS

beg: begin/beginning

bet: between

BO: bind off

cm: centimeter

CO: cast on

cont: continue

dec, dec'd: decrease, decreased

inc, inc'ing, inc'd: increase, increasing, increased

k: knit

k2tog: knit 2 stitches together

m: marker

m1: make one stitch

p: purl

pat: pattern

pm: place marker

p-wise: purlwise

rem: remain/remaining

rep: repeat/repeats

RS: right side

sl: slip

sl st: slip stitch

ssk: slip, slip, knit these 2 stitches together—1 stitch decreased

WS: wrong side

wyib: with yarn in back

wyif: with yarn in front

yo: yarn over