

Hooded Jacket



SIZE
Small (Medium, Large, XL)



MATERIALS

Bergere de France Ecoton:

4497 Anthracite—9 (10, 11, 12) balls

Hook: US size E-4 (3.5mm) or size to obtain gauge

Notions: Stitch markers, 1 black open-ended zipper 19½ (19½, 21¾, 21¾)" [50 (50, 55, 55)cm] long



GAUGE

20 sts x 5½ rows = 4" (10.2cm) in pattern stitch

To achieve a good result, it is essential to make a gauge swatch.

STITCH GUIDE

1 tr & 2dc into a tr: Work tr, then 2 dc putting hook through RS at the position shown by red arrow.

1 tr & 2 dc2tog: 2 yo, put hook into following st, yo, draw loop through, yo, pass through 2 loops on hook, *yo, put hook into the following st, yo, draw loop through, yo, pass through 2 loops on hook; rep from * once more, yo, pass through 3 loops on hook, yo, pass through 2 loops on hook, yo, pass through the last 2 loops on hook.

Pattern Stitch:

(multiple of 8 + 7 for the ch and +5 at the beg of the first row)

Row 1 (RS): Skip the first 8 chs, into the next ch, work 1 tr & 2 dc into a tr, *ch 2, sk 2 chs, 1 tr & 2 dctog, ch 2, skip 2 chs, into the next ch work 1 tr & 2 dc into a tr; rep from * to ending with ch 1, tr into the last ch.

Row 2: Ch 6 (replaces 1 tr & the first loop of 2 ch), skip the first 2 sts, then 1 tr & 2 dctog, *ch 2, skip the following 2 sts, into the next st work 1 tr & 2 dc into a tr, ch 2, slip 2 sts, 1 tr & 2 dctog; rep from *, ending with ch 2, skip 1, tr into the final st.

Row 3: Ch 5, slip the first 3 sts, into the next stitch work 1 tr & 2 dc into a tr, *ch 2, skip 2 sts, 1 tr & 2 dctog, ch 2, skip 2 sts, into the next stitch work 1 tr & 2 dc into a tr; rep from * to ending with ch 1, skip 2 chs, tr into the following st.

After Row 3, rep from Row 2.

INSTRUCTIONS

Bottom of Body

Note: Bottom of body is made in one section.

Make a chain of 196 (212, 228, 244) sts.

Work in pattern stitch 23½ (25½, 27½, 29½) motifs.

Armholes

When work measures 13¼ (13, 14¼, 13¾)" [34 (33, 36, 35)cm] or 19 (18, 20, 19) rows total, the work will be separated into 3 sections. Slip a stitch marker into each stitch indicated by the red arrow on the diagram for the size being worked.

Top of Body

Then cont on each section separately following the diagram for the size being worked:

First Section (Top of Front Half)

Crochet until the first marker 5½ (6, 6½, 7) motifs.

When work measures 19¼ (19¼, 21¾, 21¾)" [50 (50, 55, 55)cm] or 28 (28, 31, 31) rows total for the shoulder and neck, fasten off.

Second Section (Back)

Work between the first and second markers 11½ (12½, 13½, 14½) motifs.

When work measures approx 19¼ (19¼, 21¾, 21¾)" [49 (49, 54, 54)cm] or 27 (27, 30, 30) rows total, to tighten the neck, replace the 14 loops of ch 2 in the center with a loop of 1 ch.

When work measures 19¼ (19¼, 21¾, 21¾)" [50 (50, 55, 55)cm] or 28 (28, 31, 31) rows total for the shoulder and neck, fasten off.

Third Section (Top of Front Half)

Crochet on the rem sts 5½ (6, 6½, 7) motifs.

When work measures 19¼ (19¼, 21¾, 21¾)" [50 (50, 55, 55)cm] or 28 (28, 31, 31) rows total for the shoulder and neck, fasten off.

Hood

On each part, mark the shoulder with a stitch marker on each stitch indicated by a blue or orange arrow on the diagram for the size being made. Continue in pattern stitch around the neck edge (see diagram for size being crocheted), continuing the loop of 1 ch over the 14 central loops but from the first row:

Small & Medium:

- At the first marker work 1 tr & 2 dc into a tr into the tr at the same time over the stitch marker and the corresponding stitch marker on the back.
- At the second marker work 1 tr & 2 dc into a tr into the tr at the same time over the stitch marker and the corresponding stitch marker on the last half front.

Large & Extra-Large:

- At the first marker work the second dc with a group of 1 tr & 2 dctog into the tr at the same time over the stitch marker and the corresponding stitch maker on the back.
- At the second marker work the second dc with a group of 1 tr & 2 dctog into the tr at the same time over the stitch marker and the corresponding stitch marker on the last half front.

When work measures approx 4" (10.2cm) or 5 rows total from beg of hood, cont in pattern stitch and work ch 2 instead of 1 over the 14 central loops.

Top of Hood

When work measures 15" (38cm) or 20 rows from beg of hood, fasten off.

Sleeves

Make a chain of 76 (79, 87, 92) sts.

Work in pattern stitch:

Small and Extra-Large: See diagram for pattern stitch for the bottom of body and sleeves

Medium and Large: See diagram for pattern stitch sleeves

Top of Sleeve

When work measures 19½" (50cm) or 28 rows total, fasten off.

Finishing

Fold the hood in half.

Join shoulder seams

Sew the top of the sleeves into the armholes.

Sew sleeve seams.

Along each front and the border of the hood, work 1 row of sl st, then 1 row of hdc, then fasten off.

Sew on zipper.

Secure & weave in all ends.





